

RESCUE SYSTEMS

F7 - SLi

Part Number, 1101553GRS





18V BATTERY



SUBMERSIBLE



GEOFENCE



SERVICEMODE



TRAINING MODE



WIRELESS



HANDLE



LED LIGHTS

TECHNICAL SPECS	METRIC	STANDARD		
Length (mm/in)	1085	42.7		
Width (mm/in)	295	11.6		
Height (mm/in)	228	9		
Weight (kg/lbs)	27.8	61.3		
Opening Width (mm/in)	300	11.8		
Nominal Pressure (bar/psi)	700	10,000		
NFPA Cut Rating	A9-89-C9-D9-E9-F7			
Ingress Protection Rating	IP68*			

*IP 68 if the closed battery cover is used. IP 54 if the open battery cover is used.

Images and Specifications are subject to change without notice

Genesis Rescue \$ ystems | 2780 Culver Ave. | Kettering, Ohio 45429 | info €genesis escue com | www.genesis escue.com




S49-SLi

Part Number: 1101469GRS

















TECHNICAL SPECS	METRIC	STANDARD	
Length (mm/in)	1020	40.2	
Width (mm/in)	282	11.1	
Height (mm/in)	228	9	
Weight (kg/lbs)	20.5	45.2	
Spreading Width (mm/in)	735	28.9	
Pulling Distance (mm/in)	620	24.4	
Highest Spreading Force (kN/lbf)	76	17,086	
Lowest Spreading Force (kN/lbf)	51	11,465	
Highest Pulling Force (kN/lbf)	54	12,139	
Lowest Pulling Force (kN/lbf)	30	6,744	
Nominal Pressure (bar/psi)	700	10,000	
Ingress Protection Rating	IP68*		

*IP 68 if the closed battery cover is used. IP 54 if the open battery cover is used.



22-54 SLi Telescopic Ram

Part Number: 1100145GRS



Rev:2



18V BATTERY



SUBMERSIBLE



GEOFENCE



SERVICE MODE



TRAINING MODE



WIRELESS



LED LIGHTS

TECHNICAL SPECS	METRIC	STANDARD		
Closed Length - Retracted (mm/in)	586	22		
Final Length - Extended (mm/in)	1,386	54.6		
Width(mm/in)	156	6.1		
Height (mm/in)	345	13.6		
Weight (kg/lbs)	21.6	47.6 16.9/14.6 24,279/13,938		
Stroke Stage 1/Stage 2 (mm/in)	428/372			
Force Stage 1/Stage 2 (kN/lbf)	108/62			
Operating Pressure (bar/psi)	550	8,000		
Ingress Protection Rating	IP68*			

*IP 68 if the closed battery cover is used. IP 54 if the open battery cover is used.

Images and Specifications are subject to change without notice

Genesis Rescue Systems | 2780 Culver Ave. | Kettering, Ohio 45429 | Info@genesisrescue.com | www.genesisrescue.com

Current Equipment

- 1 Hydraulic Pump Unit
- 1 Spreader
- 1 Cutter
- 1 Ram

Only 2 tools connected to the unit at a time Only able to operate one tool at a time All tools dependent on pump performance





Company Address 2673 Culver Ave

Dayton, OH 45429

Email

Brandon Beesley

bbeesley@lebanon.in.gov

Created Date 6/9/2025

8/31/2025

Expiration Date Quote Number

00004420

Mitch Powell

Ship To Name

Contact Name

Prepared By

Mitch Powell

Thorntown/ Sugar Creek Twp. Fire Dept

Email Account Owner mitch@howellrescue.com

Ship To

301 W Grant St Thorntown, IN 46071

USA

Product Code	Product	Product Description	Quantity	Per Unit Price	Total Price
1101469GRS	S49-SLi 28" SPREADER 18V	Genesis S49-SLi EFORCE Spreader - Wt. 45lbs Opening 29" LSF 11,465lbf - Includes: One M18 FORGE 6Ah Battery, Open Battery Cover, and Waterproof Cover.	1.00	\$16,816.00	\$16,816.00
1101553GRS	F7-SLi Smooth Cut Blades 18V	Genesis F7-SLi EFORCE Cutter - Wt. 61lbs Opening 11.8" NFPA Rating A9-B9-C9-D9-E9-F7 - Includes: One M18 FORGE 6Ah Battery, Open Battery Cover, and Waterproof Cover.	1.00	\$18,860.00	\$18,860.00
1100145GRS	22-54 SLi Telescopic Ram 18V	Genesis EFORCE 22-54 SLi Ram - Wt. 47lbs Extension 54.6in Force(1) 24,279lbf Force (2) 13,938lbf Stroke (1) 16.9in Stroke (2) 14.6in - Includes: One M18 FORGE 6Ah Battery, Open Battery Cover, and Waterproof Cover.	1.00	\$12,775.50	\$12,775.50

Grand Total \$48,451.50

By providing authorization on this quote, you, as the customer of Howell Rescue Systems, agree to the following terms: The individual providing authorization is acting on behalf of their organization and has the authority to proceed with the purchase of the listed products and/or services. Payment is due within 30 days of the invoice date unless otherwise agreed upon in writing. All pricing, availability, and delivery timelines are subject to change based on manufacturer lead times and shipping conditions. Additional terms and conditions may apply and will be provided upon request or outlined in the final invoice.